



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,027	03/23/2006	Ian David Stones	M03B197	8027

71134 7590 06/18/2009

Edwards Vacuum, Inc.
2041 MISSION COLLEGE BOULEVARD
SUITE 260
SANTA CLARA, CA 95054

EXAMINER

EASTMAN, AARON ROBERT

ART UNIT	PAPER NUMBER
----------	--------------

3745

MAIL DATE	DELIVERY MODE
-----------	---------------

06/18/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/574,027	Applicant(s) STONES ET AL.	
	Examiner Aaron R. Eastman	Art Unit 3745	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 March 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 48-64 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 48-64 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 March 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>03/23/2006</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 48-64 are rejected under 35 U.S.C. 103(a) as being unpatentable over USP 5,733,104 (Conrad et al. hereinafter) in view of USP 5,695,316 (Schütz et al. hereinafter).

3. In re claim 48 Conrad et al. disclose a compound multi-port vacuum pump comprising first, second and third pumping sections, a first pump inlet (14) through which fluid can enter the pump and pass through each of the pumping sections towards a pump outlet, a second pump inlet (15) through which fluid can enter the pump and pass through only the second and third pumping sections towards the outlet, an optional third pump inlet (16) through which fluid can enter the pump and pass through only the third pumping section towards the outlet, and a fourth inlet (17) through which fluid can enter the pump and pass through towards the outlet (Fig. 6).

4. Conrad et al. do not disclose a fourth inlet through which fluid can enter the pump and pass through only part of the third pumping section towards the outlet. Conrad et al. disclose a fourth inlet (17) which bypasses the third pumping section (Holweck pump (6)).

Art Unit: 3745

5. Schütz et al. disclose a Gaede pump section (60-62, Fig. 9) in combination with and immediately downstream of a Holweck pump (55, 56) to create a pumping section (col. 4 line 44 - col. 5 line7).

6. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Conrad et al. by adding a Gaede pump section in combination with and immediately downstream of the Holweck pump to create a pumping section as taught in Schütz et al. for the purposes of increasing pump effectiveness. This results in a fourth inlet (17) through which fluid can enter the pump and pass through only part (the Gaede pump portion) of the third pumping section towards the outlet.

7. In re claim 49 the Conrad et al. modification in re claim 48 discloses the pump according to claim 48 wherein at least one of the first and second pumping sections comprises at least one turbo-molecular stage (Fig. 6 of Conrad et al.).

8. In re claim 50 the Conrad et al. modification in re claim 48 discloses the pump according to claim 48 wherein both of the first and second pumping sections comprise at least one turbo-molecular stage.

9. In re claim 51 the Conrad et al. modification in re claim 48 discloses the pump according to claim 48 wherein the third pumping section is positioned relative to the second (15) and fourth (17) pump inlets such that fluid passing therethrough from the second pump inlet (15) follows a different path from fluid passing therethrough from the fourth pump inlet (17).

Art Unit: 3745

10. In re claim 52 the Conrad et al. modification in re claim 48 discloses the pump according to claim 51 wherein the third pumping section is positioned relative to the second (15) and fourth (17) pump inlets such that fluid passing therethrough from the fourth pump inlet (17) follows only part of the path of the fluid passing therethrough from the second pump inlet (15).

11. In re claim 53 the Conrad et al. modification in re claim 48 discloses the pump according to claim 48 wherein the third pumping section comprises at least one molecular drag stage.

12. In re claim 54 the Conrad et al. modification in re claim 48 discloses the pump according to claim 53 wherein the third pumping section comprises a multi-stage Holweck mechanism with a plurality of channels arranged as a plurality of helices (see Fig. 4 of Conrad et al. detailing the Holweck mechanism).

13. In re claim 55 the Conrad et al. modification in re claim 48 discloses the pump according to claim 54 wherein the Holweck mechanism is positioned relative to the second (15) and fourth (17) pump inlets such that fluid passing therethrough from the fourth pump inlet (17) follows only part of the path of the fluid passing therethrough from the second pump inlet (15).

14. In re claim 56 the Conrad et al. modification in re claim 48 discloses the pump according to claim 48 wherein the third pumping section comprises at least one Gaede pumping stage and/or at least one aerodynamic pumping stage.

15. In re claim 57 the Conrad et al. modification in re claim 48 discloses the pump according to claim 54 wherein the Holweck mechanism is positioned upstream from

Art Unit: 3745

said at least one Gaede pumping stage and/or at least one aerodynamic pumping stage.

16. In re claim 58 the Conrad et al. modification in re claim 48 discloses the pump according to claim 57 wherein the Holweck mechanism is positioned relative to the second (15) and fourth (17) pump inlets such that fluid entering the pump from the fourth pump inlet (17) does not pass therethrough.

17. In re claim 59 the Conrad et al. modification in re claim 48 discloses the pump according to claim 56 wherein said at least one aerodynamic pumping stage comprises at least one regenerative stage.

18. In re claim 60 the Conrad et al. modification in re claim 48 discloses the claimed invention except for wherein, in use, the pressure of the fluid exhaust from the pump outlet is equal to or greater than 10 mbar. It would have been obvious to one having ordinary skill in the art at the time the invention was made so that wherein, in use, the pressure of the fluid exhaust from the pump outlet is equal to or greater than 10 mbar, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

19. In re claim 61 the Conrad et al. modification in re claim 48 discloses the pump according to claim 60 wherein the third inlet (16) is positioned such that fluid entering the pump therethrough passes through, of said sections, only the third pumping section towards the pump outlet.

Art Unit: 3745

20. In re claim 62 the Conrad et al. modification in re claim 48 discloses the pump according to claim 61 wherein the fluid entering the pump through the third inlet (16) passes through a greater number of stages of the third pumping section than fluid entering the pump through the fourth inlet (17).

21. In re claim 63 the Conrad et al. modification in re claim 48 discloses the pump according to claim 48 comprising a drive shaft (31) having mounted thereon at least one rotor element for each of the pumping sections.

22. In re claim 64 the Conrad et al. modification in re claim 48 discloses the differentially pumped vacuum system comprising a plurality of chambers (col. 1 lines 27-28 of Conrad et al.) and a pump according to claim 48 for evacuating each of the chambers.

Conclusion

23. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. USP's 5695316, 5707213, 5733104, 6106223, 6135709 and 6409277 as well as USPAP's 2004/0265152, 2006/0099094, 2006/0140794, 2006/0140795, 2006/0153715, 2007/0116555 and 2008/0063541 all disclose vacuum pumps having multiple, varying stages.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron R. Eastman whose telephone number is (571)270-3132. The examiner can normally be reached on Mon-Thu 9:00-4:30.

Art Unit: 3745

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Aaron R. Eastman/
Examiner, Art Unit 3745

/Edward K. Look/
Supervisory Patent Examiner, Art Unit 3745